




Flows in the River Murray System - March 2021

Flows in the River Murray System vary widely depending on a range of factors, including rainfall, inflows, evaporation, and demand for water for human use.

At any given time, water flowing through the river is destined for various uses, including irrigation, industry, communities, the environment, and meeting South Australia's flow entitlement. The exact mix of these flow components is determined by demand and water availability, amongst other factors.

The graphic below is indicative of how water flow is managed throughout the seasons across a typical year.



^{*} including meeting South Australia's flow entitlement

Water for the environment

Overall, water for the environment is a small percentage of the total water used in the Murray-Darling Basin.

The volume of water for the environment used under water entitlements has increased slightly over the past five years, as more water became available. The average use over this period was 20.4 per cent of the total water used in the Basin.

Importantly, water held for the environment uses the same entitlement framework as consumptive users. In any given year the amount of water available for delivery to key environmental sites is determined based on the same rules that apply to all other consumptive water uses.

Types of water for the environment

Water for the environment can be categorised as:


- **'Planned' environmental water** water that flows through the river system that is typically managed through rules outlined in state water resource plans and is used to improve the health of the environment.
- **'Held' environmental water** is water that is held by government agencies and is delivered where and when it is needed in the river system. It is water that is allocated to relevant government agencies through water licenses for environmental use.

Who holds and manages water for the environment

(based on the long term average diversion limit for entitlements held for the environment at June 2019)



Source: Southern Connected Basin Environmental Watering Committee Annual Report



Information in the figure above is for the month of March 2021 and may not include recent rainfall or delivery of water for the environment in the Murray system. Information in this figure is an average estimate over the past month and formal accounts from Basin state governments may vary. Water for the environment in the figure above represents water that is held by environmental water holders, through entitlements. Other water that flows through the river can also achieve environmental outcomes.

River flow information

The March flow to South Australia comprised of water for South Australia's entitlement, as well as traded volumes and water for the environment.

Delivery of water for the environment consisted of 20 GL ordered at the South Australian border and an additional small volume delivered from the Loddon River.

For the latest information on water for the environment see the River Murray weekly report.

Intended environmental outcomes

Water for the environment takes time to move through the system. While no further water for the environment is being delivered from storages, water from past watering events is still moving through the River Murray as return flows. Environmental water holders can also use water for the environment by extracting allocations directly from the river. These allocations are often used for small-scale watering events rather than having water delivered from a storage.

Location	Return flows used	Intended environmental outcome(s)
Edward-Wakool	No	 provide flows through the creek system to improve connectivity and support native fish
		small water pulses to encourage silver perch to spawn
Gunbower Creek	Yes	 maintain breeding habitats and food resources for native fish such as Murray cod
Pollack Swamp	No	 provide critical wetland refuge habitat for a range of native plants and animals
Buccaneit-Cunninyeuk Creek system	No	provide habitat to increase native fish numbersmaintain river red gum health
Tuppal Creek	No	provide habitat to increase native fish numbersmaintain river red gum health
Cockrans-Jimaringle Creek	No	provide habitat to increase native fish numbersmaintain river red gum health
Murrain Yarrein Creek	No	provide habitat to increase native fish numbersmaintain river red gum health
Thule Creek	No	provide habitat to increase native fish numbersmaintain river red gum health
Mid-Murray private wetlands	No	 provide wetland habitat for waterbirds and southern bellfrogs maintain river red gum and black box health
Lake Agnes	No	 provide wetland habitat for waterbirds and southern bellfrogs maintain river red gum and black box health
Whymoul Creek	No	 provide habitat for native fish, waterbirds and southern bellfrogs
		maintain river red gum health
Loddon River	No	 maintain an adequate depth in pools for aquatic plants and to provide habitat for waterbugs, fish and rakali (water rats) provide continuous flow through the reach, to maintain water quality
Lower Broken Creek	Yes	 provide habitat for fish and support fish movement, spawning and recruitment
Lake Limbra, Chowilla Floodplain	Yes	 provide healthy wetland refuge habitat for a range of native plants and animals
Lower Murray wetlands	No	 provide healthy wetlands refuge habitat for a range of native plants and animals
Lower Lakes, Coorong and Murray Mouth	Yes	 maintain barrage releases for fish migration and black bream recruitment
		 improve water quality and diversity of habitat in the Coorong

More information on river flows and water for the environment

Live River Data
riverdata.mdba.gov.au
River Murray Weekly Report
mdba.gov.au/river-information/weekly-reports
Water sharing in the River Murray
www.mdba.gov.au/river-information/water-sharing

Water use in catchments
www.environment.gov.au/water/cewo/catchment
FLOW Monitoring, Evaluation and Research
flow-mer.org.au
Delivering water for the environment
mdba.gov.au/managing-water/water-for-environment/water-over-time